Disease Alert May 2017

- Worms in cattle
- Anthelmintic resistance

James Aitken BSc BVetMed MRCVS Orchard Veterinary Group Glastonbury



"PREVENTION IS BETTER THAN CURE" Plan for health with your vet - get a veterinary health plan



Thanks to our sponsors





Parasitic gastroenteritis

- Gut worms typically affecting animals during the first season at grass.
- Pasture is contaminated with worm eggs.
- Eggs hatch and the larvae are ingested.
- Mature in the lining of the abomasum (true stomach), causing damage.





The organisation for the English beef and sheep meat industry

Ostertagia



• Type 1:

- occurs usually in late summer
- overwintered larvae multiplied in host
- sudden onset profuse diarrhoea and weight loss
- increased time to slaughter or 1st calving
- Type 2
 - larvae ingested in the autumn
 - arrested development
 - synchronised emergence in late winter

Working to shape a sustainable and prospering Scottish Red Meat industry

Lungworm (Husk)

- Signs include increased respiratory rate and effort and frequent coughing, especially after exercise.
- Diagnosis on faecal exam or post mortem.
- Vaccine is available but immunity requires repeated exposure.
- Use of clean pasture difficult due to longevity of larvae on pasture.



Anthelmintic Resistance



- Important to ensure effective wormers for the future
- Natural variation allows some worms to survive treatment, and pass resistance to their offspring
- Sustainable Control Of Parasites in Sheep (SCOPS)
- Control Of Worms Sustainably (COWS)



SCOPS Principles 1

- **1.** Work out a control strategy with your vet
- **2**. Use effective quarantine strategies to prevent the importation of resistant worms
- 3. Test for Anthelmintic Resistance
- 4. Administer anthelmintics effectively



"PREVENTION IS BETTER THAN CURE" Plan for health with your vet - get a veterinary health plan

SCOPS Principles 2



- 5. Use anthelmintics only when necessary6. Select the appropriate anthelmintic for the task
- **7**. Adopt strategies to preserve susceptible worms on the farm
- 8. Reduce dependence on anthelmintics



Also keep an eye out for...



Contagious
Lymphadenitis
(CLA)

Jobs for May



• Treat for flies

"PREVENTION IS BETTER THAN CURE" Plan for health with your vet - get a veterinary health plan



Thank you for watching

Please have a go at the clinical quiz!

